

### Approved For Release 2000 ACS STEP 100788R001800080001-5

#### CONTENTS (U)

LIST	OF ILLUSTRATIONS (U).	•	•		•	•	•		•	•	•	•	•	•	•	•	•	iii
LIST	OF TABLES (U)		•		•		•		•		•	•	•	•	•	•	•	iv
I	OBJECTIVE (U)	•	•				•		•		•	•	•	•	•	•	•	
II	INTRODUCTION (U)	•	•		•		•		•		•	•		•	•	•		2
III	ANALYSIS PROTOCOL (U)	•	•		•	•			•	• •	•	•			٠	•		ı
IV	conclusions (u)		•		•	•	•		•		•	•	•	•	•	•	•	1
Apper	ndix AEVALUATION OF I	าดบ	R (	COO	RDI	NA	TE	REI	MOTI	E V	ΙEV	/IN	IGS	S (	(ប)	١.	•	12
Apper	ndix BSUMMARY OF EVA	LUA	TI	ON '	TEC	CHN	ΙQΊ	UE	(U).		•	•	•	•	•	•*	•	43
REFE	RENCES (U														•		•	4

ii

#### **UNCLASSIFIED**

#### Approved For Release 2000/08/08: CIA-RDP96-00788R001800080001-5

#### FIGURES (U)

1	Sample RV Assessment Form (U)	5
A-1	Transcript 1 (U)	14
A-2	Transcript 2 (U)	15
A-3	Transcript 3 (U)	16
A-4	Transcript 4 (U)	17
A-5	Target Site Hangö (U)	19
A-6	Target Site Fernando de Noronha (U)	20
A-7	Target Site Inverness (U)	21
A-8	Target Site Punkaharju (U)	22

iii

## Approved For Release 2010 ASSIFIED-00788R001800080001-5

#### TABLES (U)

1	Task-Defined Relevance Scale for Target Elements (U)	6
2	Quality Assessment Scale (U)	8
3	Numerical Score Conversion Table (U)	8
A-1	Target Element Relevance Ratings for Hango (U)	23
A-2	Target Element Relevance Ratings for Inverness (U)	23
A-3	Target Element Relevance Ratings for Fernando de Noronha (U)	24
A-4	Target Element Relevance Ratings for Punkaharju (U)	24
A-5	RV Assessment Forms for Calibration of Remote Viewing (U)	25
A-6	A Rank Ordering of Weighted Averages (U)	4]

1 V

## Approved For Release 2000 Relea

#### I OBJECTIVE (U)

(U) The objective of this task was to develop an evaluation procedure to assess the relative quality of a set of different remote viewing (RV) responses.

# Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5 **UNCLASSIFIED**

#### II INTRODUCTION (U)

- (U) In addressing the remote viewing (RV) evaluation question, we consider two separate requirements:
  - Absolute evaluation of a single response for a single unknown target.
  - Relative evaluation of a set of responses for a series of known targets.

The first of these is of the most interest in an operational setting. As part of the RV enhancement task, we have considered this problem in two ways. First, by conducting an operational RV session between two calibration RV sessions, a tentative a priori assessment of operational efficacy can be determined. The evaluation is made on the basis of performance during the calibration sessions, and on the basis of adherence to a predetermined session structure.

- (U) A second technique for an a priori evaluation was explored as part of the Fiscal Year 1982 program in an audio-linguistic task. This task provided indications that careful linguistic analysis, when coupled with technical audio analysis, could yield an assessment in the absence of knowledge about the target.
- (U). Various techniques have been used in the past<sup>1\*</sup> in an attempt to solve the relative evaluation problem. The most common of these was the simple rank ordering of all responses, as assessed against all possible targets used in an experimental series. In this procedure, a judge is presented with n RV transcripts and n target sites. His task is to arrange

<sup>\*(</sup>U) References are listed at the end of this report.

#### Approved For Release 2000/08/08: CIA-RDP96-00788R001800080001-5

(U)

the transcripts in order of the best to least match for each of the n targets. A simple numerical counting procedure is then used to estimate the likelihood that the judge's transcript/target\_matches are by chance alone. This early technique contained little systematic structure for determining the final order of matches.

The first step toward systematizing the rank order judging procedure was to preprocess the raw data in the transcript by "conceptualizing" both the verbal and the pictorial responses. Conceptualizing a transcript requires an analyst to paraphrase the transcript into a list of coherent statements. This concept list is then compared and scored concept-by-concept to each of the targets in the experiment. The resulting scores are averaged for each response, and all responses are rank-ordered on the basis of these scores. This improved analysis procedure was applied to a number of experiments within the Technology Transfer Task

(U) The problem with the above technique is that there are no guidelines as to how the analyst should paraphrase the transcript; furthermore, the method in which the concepts are to be assessed against the targets remains undefined. The purpose of the Evaluation Task in FY 1982 was to identify a procedure that corrected these deficiencies.

#### Approved For Release 2010/03/08: AIS-SIFE 00788R001800080001-5

#### III ANALYSIS PROTOCOL (U)

- (U) To quantify the analysis procedure, we have divided the task into four separate areas: subject response, target/task definition, quality assessment, and numerical analysis. Figure 1 is a sample RV Assessment Form that has been designed to emphasize the separation of the analysis tasks. Each of the parts of the form are described below.
- (U) The subject's response should be prepared for analysis without any knowledge of either the target site or the overall task. The aim of this method of response preparation is to reduce a possibly redundant, rambling response to a coherent set of concepts. To meet this requirement we have developed a set of initial guidelines to the conceptualization procedure.
- (U) A concept is defined as a paraphrase of a single idea that has been expressed in the RV verbal or drawing response. That coherent idea should not be fragmented into component parts. For example, a response might be of the form, "I see a large, textured, gray building." The single concept that expresses this idea should be "large, textured, gray building," rather than four separate concepts—one for each word in the phrase. Each concept should be entered under the "Transcript Concept" column in the RV Assessment Form.
- (U) For this initial evaluation technique, a particular concept should be used only once in the analysis. (Some weighting factor proportional to concept frequency could be utilized, but, for the initial attempt, only unique concepts are used.) If in the construction of the transcript concept list a concept later in the transcript is a duplicate of an earlier one, it should be so noted by placing the concept number of the original concept in the "D" column.

4

# Approved For Release **Libbola SSIFIED** 6-00788R001800080001-5

i		Target:							Ä	Ý1ewer:				ļ	
gin lime:		Wothed of Targeting:	•	1000	. 24				Ω	Date:					
d Time:		northead S	·	9					S	Class:				1	
ngth of	Session:	Session:	1						100					N- 143	
Concept	Transcript Concept		D	а	H	Element	of Target	et	rance (R)	Quelity (Q)	Score	PxRxQ	Score	Score	
-												0	0	0.00	
•												7	1	0.36	
81												27	8	0.71	
,												က	.8	1.07	
4												4	4	1.43	
2				<u> </u>		-  -  -  -  -						<b>6</b> 0	2	1.79	
,				1								8	9	2.14	
- 00				ļ									~	2.50	
0				<u> </u>								6	∞ 	2.86	
10												ដ	6	3.21	
12									-			12	2	3.57	
12										-		15	=	3.93	
13											_	16	12	4.29	
14									_		_	8	13	4.64	
15					_				_		_	52	2 14	5.00	
# of	Score 0 1 2 3 # of Concepts	7	9	-	∞ /	9 10	7 11	12 13	14	Weig	Weighted Average	erage			

TRANSCRIPT EVALUATION

# Approved For Release 2000/08/08: CIA-RDP96-00788R001800080001-5

- assessment, it is necessary to define, in advance, what the goals of the assessment are. In the RV Assessment Form, columns "Element of Target" and "Relevance" are provided to clearly define the goal of the analysis. In the ideal situation, an RV target should be completely specified in advance. A target typically consists of a number of target elements, each of which may have varying relevance with regard to the overall RV task. For any given target, an independent list of target elements should be prepared. The selection of what constitutes a target element, is left completely to the discretion of the task coordinator. The target element must be selected with little regard to task relevance (target element relevance is accounted for later). Because an RV target consists, in principle, of an essentially infinite number of possible elements, discretion needs to be exercised in the selection process.
  - (U) For each target element identified for the site, the task coordinator must define a relevance rating. This rating allows the coordinator to tailor the analysis to the task requirements. Table 1 shows the scale that is used for the target element relevance rating.

Table 1

(U) TASK-DEFINED RELEVANCE SCALE FOR TARGET ELEMENTS (U)

Rating	Relevance Scale
1	A target element of trivial interest
2	A target element of minor interest
3	A target element of intermediate interest
4	A target element of major interest
5	A target element of key interest

## Approved For Release **500 68-68 SSAFIE D**6-00788R001800080001-5

- (U) For each transcript concept on the RV Assessment Form (Figure 1), the analyst should attempt to find the element on the list of target elements that he/she considers to be the best match. The analyst should be quite liberal in the concept/element matching (i.e., the quality of the match should be considered at this point in the analysis). If he/she is able to identify a target element that might be considered a match to the given concept, a 1 is placed in the "p" (present) column on the assessment form. If no element can be identified, a 0 is placed in the "p" column. After making a target element identification, the selected target element, and its corresponding overall relevance rating should be entered in the appropriate columns on the assessment form.
- cept, it is now appropriate to assess the quality of the match. The quality assessment is done on the basis of how well the single concept in question matches the selected target element. The judgement is to be made without regard to any other issues, such as importance of the concept to the transcript, or importance (relevance) of the target element to the target. Table 2 shows the quality assessment scale that is used for this part of the analysis. The appropriate quality score from Table 2 is entered in the "Quality" column on the RV Assessment Form for each concept for which a matching target element has been identified.
- (U) An intermediate numerical score is computed for each concept from the relevance and quality (Tables 1 and 2) evaluation as follows:

#### $S' = P \times R \times Q$ ,

where P is the value in the "p" column (0 or 1); R is the relevance evaluation; and 0 is the quality assessment. S' can assume values ranging between 0 and 25. Table 3 demonstrates how to determine the final score, S, for a given value of S' for each concept. The conversion table is

7

# 

Table 2

(U) QUALITY ASSESSMENT SCALE (U)

	Discrimination Scale
Rating	
1	Poor description; only one or two aspects of the material match.
2	Fair description; a few aspects of the material match, but a large ambiguity exists.
3	Reasonable description; many aspects of the material match, but there remains some ambiguity.
4	Good description; a large number of aspects of the material matches, but it is possible to conceive of material that would be a better match.
5	Excellent description; all or nearly all aspects of the material match.

Table 3

(U) NUMERICAL SCORE CONVERSION TABLE (U)

$S = P \times R \times Q$	Score	Normalized Score
0	0	0.00
1	1	0.35
2	2	0.71
3	3	1.07
4	4	1.43
5	5	1.79
6	6	2.14
8	7	2.50
9	8 1	2.86
10	9	3.21
12	10	3.57
15	11	3.93
16	12	4.29
20	13	4.64
25	14	5.00

8

# Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5 UNCLASSIFIED

(U)

used to eliminate the nonuniformly-distributed gaps in scoring numbers that occur if one simply uses the product S'. Thus, the final score for each concept ranges from 0 to a maximum of 14. This conversion table is provided as part of the RV Assessment Form.

- (U) If an assessment of an individual concept is required, the final score for each concept/target-element match can be related to the quality assessment scale by using the conversions shown in the third column of Table 3 and on the assessment sheet. It should be noted, however, that the integer scores are used to simplify the remaining calculations.
- (U) To determine a final evaluation of the complete transcript assessed against a given target, a weighted average of concept scores is computed. To assist in the calculation of the weighted average, a tally box score is provided at the bottom of the RV Assessment Form. For each of the possible scores, 0 through 14, the number of concepts that attained that particular score are counted. For example, if 3 concepts were evaluated with a score of 12, a 3 is entered in the box below the 12 score. If the frequency of occurrence of score S<sub>j</sub> is f<sub>j</sub>, then the final weighted average is computed by

$$A'_{k} = \sum f_{j} \sqrt{f_{j}} \times S_{j} / \sum f_{j} \sqrt{f_{j}} .$$

$$A_{k} = 0.357 A'_{k}$$

(U) The normalized, weighted average score,  $\mathbf{A}_k$ , is entered in the weighted average box on the assessment sheet. The weighted average score has been normalized to be within the range

$$0 \le A_k \le 5.0$$
.

To aid in the interpretation of the result, the quality assessment scale (Table 2) can be used to assess quality of the match between the whole RV response and the given target site.

(U) At this point in the evaluation protocol, the following options are available, depending on the task requirement:

9

# Approved For Release 2000/08/08 : CIA RDP96-00788R001800080001-5

(U)

- An n X n rank ordering on the basis of the weighted averages.
- A simple selection of the best match.
- A statistical evaluation on a concept-by-concept

#### IV CONCLUSIONS (U)

· A protocol has been developed to address the relativ	e evaluation
portion of the overall RV transcript assessment problem. As a	demonstra-
tion of the technique, we provide in Appendix A an analysis of	a series
of four remote viewings that were performed as calibrations	

viewing products were of relatively high quality, but nonetheless require a sensitive technique to differentiate because of the similarity of the targets and, hence, of the descriptions. (The series was chosen primarily for that reason.) Application of the assessment technique resulted in the correct blind matching (highest scoring in matches versus cross matches) of three of the four.

(U) Appendix B is a one page, step-by-step procedure for the application of this evaluation technique.

(U) The material in this document thus constitutes an instruction manual or protocol for application of a step-by-step procedure for quantitative assessment of the relative target/transcript correlations of a series of transcripts matched into a series of targets.

#### Appendix A

EVALUATION OF FOUR COORDINATE REMOTE VIEWINGS (U)

#### Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5

On 14 December 1981, four coordinate remote viewings were conducted as calibrations

These four calibrations were chosen as a test bed for the evaluation procedure for the following reasons, (1) they were conducted in an setting, and (2) the targets had many similar features, and would thus provide a sensitive test of the protocol.

- Figures A-1 through A-4 are the transcripts that were presented to the analyst. They are exactly as they were when collected, except that the coordinates have been removed. Figures A-5 through A-8 are the National Geographic magazine targets that were used during the calibration sessions. Finally, the task coordinator provided Tables A-1 through A-4 as target element relevance scales for the four targets in Figures A-5 through A-8. This completes the information that was given to the analyst, and thus the analysis was carried out blind as to the matching target/transcript pairs.
- (U) Table A-5 is a compilation of the completed work sheets that were used by the analyst in this evaluation. They are shown in groups by session number, and alphabetized on the four targets. (The task coordinator first randomized the transcript order then assigned the session number used above.) For each of the transcripts, the analyst simply included all phrases and all drawings as concepts. For example, seven concepts were found during Session 2.

(U) All concepts were then analyzed as described in the text. The matching target element, its relevance rating, and the computed score are shown for all possible combinations of transcript/target pairs in Table A-5. The score distributions and their resulting weighted averages are also shown in Table A-5.

Approved For Release CONGLASSIFIED 6-00788R001800080	
TM Break.	14 ()2081 002 B 12.40
2) MM A up volon B	<b>~L</b>
32 nochy.  32 nochy.  ad coactol cets  Break	,
3) A Was Baliff  A very Beautiful -	(sing
FIGURE A-1 TRANSCRIPT 1 (U)	

# Approved For Release 2000/08/08 : CIA RDR06-00788R001800080001-5

14 Dec 81 002 B 3.23

Aoffondoni N 777 Brook

A straight angles
B -

Mamoch
2

siivs.

B'undding ,

FIGURE A-2 TRANSCRIPT 2 (U)

15

002 Approved For Release PP OLOA SSAFIED 6-00788RQ 01800080001-5 Jeeling of tom. TRANSCRIPT 3 (U) FIGURE A-3 16 **UNCLASSIFIED** 


Approved For Release 2006 SSAFE 6-00788R001800080001-5 10/Dec81 12.46 12.417 A down passed
B 
A flat
B water? 5.2 green trees and? 2 aals 'winding river.
Jungle.
Break A downfup. B deep vally.

FIGURE A-4(a) TRANSCRIPT 4 (U)

UNCLASSIFIED

17





ad lehu mbuside.





FIGURE A-4(b) TRANSCRIPT 4 (concluded) (U)

# CP Aperoved For Release 2000/08/08: CIA-RDE96-00788R001800080001-5




**UNCLASSIFIED** 

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5


CPYRGHT

**UNCLASSIFIED** 



20


**CPYRGHT** 



Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5

**CPYRGHT** 

### **UNCLASSIFIED**



22

Table A-1  $\mbox{(U)} \quad \mbox{TARGET ELEMENT RELEVANCE RATINGS FOR HANGO (U)}$ 

Target Element	Relevance
Town	5
Cold	4
Peninsula	5
Rocky	3
Vegetation	2
Вау	3

Target Element	Relevance
City	5
River	4
Bridge	3
River banks	2
Vegetation	1

# Approved For Release 20 10 6 LASSIFIED 0788R001800080001-5

Table A-3

# (U) TARGET ELEMENT RELEVANCE RATINGS FOR FERNANDO DE NORONHA (U)

Target Element	Relevance
Island	5
Surf	3
Hills	4
Uninhabited	3
Mountain peak	3
Temperate climate	2
Vegetation	2
Ocean	4

Table A-4

# (U) TARGET ELEMENT RELEVANCE RATINGS FOR PUNKAHARJU (U)

Target Element	Relevance
Connect lakes	5
Town	4
Bridges	2
Cold	4
Vegetation	1
Islands	4

24

# Approved For Release 2006/05/65 ASSIFFE 0788R001800080001-5

Begi	Begin Time:	e: 12:40	Target:	- 1	Inve	Inverness	Α.	Viewer:	#005			
End	End Time:		Method of	f Ta	Targeting:	Ing: Coordinates	Д	Date:	14 December 1981	ber 19	81	1
Leng	Length of	Session:	Session:	1		1	0	Class:	м			
New	Concept	Transcript Concept		A	A	Element of Target	Rele- vance (R)	Quelity (Q)	Score	PXRXQ	Boore	
	п	Picture 1			1	Twin church towers	1	1	1	0	0	
	7	Picture 2		1						-		
	3	Up and down			1	Buildings	2	1	ເນ	84	63	
	4	Rocky			0				0	ಣ	က	
	သ	Land/water interface			1	River	4	4	12	4	*	
	9	Picture 3			1	Twin church towers	1	1	1	က	10	
	7	Picture 4			1	River	4	4	12	9	9	
	80	Uprising			1	Buildings	2	1	က	60	7	
	6	Cliff			0				0	6	<b>00</b>	
	10	Fjords			1	River	2	1	သ	10	G.	
	11	Coastal city			1	City	5	4	20	13	10	
	21									15	ı,	
,-,	13									16	12	
·	14									20	13	
	15					•				25	14	
	Scc	Score 0 1 2 3 4	9 5	7,	8	9 10 11 12 1	3 14		1		}	
of Concepts	ncet	ots 2 5 3	3		<u> </u>	2 1	-	Wei	Weighted	Average		1.53
	•					-						

RV ASSESSMENT FORMS FOR CALIBRATION OF REMOTE VIEWING (U)

TABLE A-5

TRANSCRIPT EVALUATION

25

			[2]																	2.52
	1981		A Score	°	1	23	3	*	<b>10</b>	9	7	•	•	2	11	3 12	) 13	5 14		voer age
		m	Pxfxq	°	1	61	6	4	r.	9	60	6	10	12	15	16	20	25	Į.	2
#005	4 December		Score	80		ro eo	11	13	N	မ	က	6	9	14					1103 91+04	אוורבת
Viewer:	Date: 14	Class:	Quality (Q)	3		1	z,	4	1	2	. 1	8	1	5					1011	T
V	Da	ថ	Relo- yance (R)	3		5	အ	ĸ	8	-	3	5	3	5					14	L
ı	1	ł																	13	
			get																12	
	ates		f Tan								þį								11	
	Coordinates		Element of Target			88					of land								10	
:08		1	Elem	Rocks		Buildings	Rocks	Coast	Church	Вау	Slope o	Coast	Bay	City					6	
Hangö	Method of Targeting:		<u>a</u> ,	1		1	1	1	1	1	1	1	1	1					ω,	
	f Tar	1	Д		1														7	
Target:	poq	Session:																	9	
Tan	Met	Sea																	5	
					1	,													4	
			ncept																3	
			pt Cc			down		Land/water interfaces	e 3										2	Ī
			Transcript Con											<b>P</b> >					-	T
12:40		ä	-Tra	e 1	8					4	) Se			1 city					0	
		ssato		Picture	Picture	Up and down	Rocky	and/w	Mcture	Picture	Uprising	Cliff	Fjords	Coastal					به	
Begin Time:	9	Length of Session:	ų.	<u>A</u>	4	n		I	_	<u> </u>		-		-	<u> </u>				Score	
, utse	End Time:	ngth	Concept	1	81	ຄ	4	S.	9	-	80	6	01	Ħ	12	13	14	15		,
盛	Ä	Ľ	<b></b>	<b>L</b>	L		L	N	OITA	EAVIT	TqI	Vasci	HT							

Table A-5 (continued)

26

TRANSCRIPT EVALUATION

27 UNCLASSIFIED

UNCLASSIFIED

# Approved For Release 2410 616-ASS-FDFD 00788R001800080001-5

											ı		•			
End Time:				Me	Method of Targeting:	f Tan	geti	٠,	Coordinate		1	д	Date:	14 De	4 December 1981	1981
Length of Session:				Se	Session:	1		7			ı	ភ	Class:	B		
	Trans	Transcript Concept	oncept			Δ	C4	Elen	Element of T	Target		Rele- vance (R)	Quality (Q)	Score	Pydy	Score
Pi cture	ė 1						1	River bank	bank			4	.3	10	°	٥
Straight	ht angles	es	•	ì			1	Buildings	ngs			ເດ	п	5	-	-
Picture 2	2						1	River				4	က	10	N	69
River							1	River				ಬ	ນ	14	е .	က
Buildings	sau						1	But 1dings	ngs			ıΩ	က	14	*	*
Man-made	pqe						1	City				ಬ	4	13	<b>°</b>	n
London							1	City				က	4	13	°	ø
	ę															-
															<u>°</u>	
															۽ ا	6
															12	유
															15	11
															16	12
															20	13
									*						25	14
Score 0	-	2	3 4	5	9	7	œ	6	10 11	12	13	14	T of	Weighted	Average	9 0
# of Concepts	-		,	,					2		2	-		Succe		2

# **UNCLASSIFIED**

29

Begin Time:	lme: 15:23			_ 1	Tar	Target:		Hai	Hangö	ļ		-	•	Viewer:	#	#005	İ		
End Time:	:			1	Met	Method of Targeting:	Tar	eting		Coord	Coordinate			Date:	14 December 1981	nber 1	981		
Length of	f Session:				Ses	Session:				2				Class:	В				
Concept		Transcript Concept	Conce	t t			A	а	Ele	Element of	Target		Rele- vance (R)	Quality (Q)	Score	24	PxRxQ Sc	Score	
1	Picture 1							1	Buildings	ings			2	1	2		0	0	
M	Straight angles	gles						1	Buildings	Ings			2	1	2		1	1	
က	Mcture 2			1				1	Peninsula	sula			ໝ	п	7.0		63	8	
4	River							1	Bay				က	2	9		٠ ٣	m	
ະດ	Buildings							1	Buildings	1 ng s			2	מו	14		4	•	
ဖ	Man-made							1	Bui 1dings	ings	:		2	4	13		2	s	
7	London					<u> </u>		1	Town				2	3	11		9	9	
•																	8	7	
6																	6	88	
10																-	10	6	
11			:				ļ <u>.</u>	-								-	12 1	10	
12																1	15 1	11	
13								-								1	16 1	12	
41							-	-								87	20 1	13	
15								-								[ [	25 1	14	
	Score 0	-1	2	3	7	5	9	7	8	9 10	11	12	13	14	Uninhind		Average	906	
# of Cc	# of Concepts	3		-							1		1		18134	1		_	2.72

TRANSCRIPT EVALUATION

30

## **UNCLASSIFIED**

**UNCLASSIFIED**Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5

Table A-5 (continued)

31

### Approved For Release 100 Approved For Release

Table A-5 (continued)

32

### Approved For Release 2006-00788R001800080001-5

Partial   Part	1	Begin Time: 13:13	Target:		THAT HE DE		•			
Session:         Session:         Acrascial         Class:         PASS           Transcript Concept         D         P         Element of Target         Table of table of town         A         4         1         PASS           Picture 1         Interestance         0         Interestance         4         4         12         1         1         1         1         5         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         2         1         1         1         1         1 <th>End Time</th> <th></th> <th>Method of</th> <th>Target</th> <th>1</th> <th>Da</th> <th></th> <th>14 Decem</th> <th>nber 19</th> <th><u>~</u></th>	End Time		Method of	Target	1	Da		14 Decem	nber 19	<u>~</u>
Transcript Concept   D   P   Element of Target   Target	Length o		Session:		33	นี	388:	В		
Picture 1         1         Buildings         5         1         5           Ridges         0         Ridges         1         4         4         12           Small ups and downs         0         mildings         5         1         2           Cold         1         Location         3         1         3         4           Picture 2         1         Church         2         1         2         5           Rocky         0         0         0         6         6           Picture 3         1         Buildings         5         1         5         6           Picture 4         0         1         City         5         4         13         12           Freshing of town         1         City         5         4         13         15           Cliff on water         1         River bank         1         1         1         1           Cliff on water         1         1         1         1         1         1         1           Recling of town         1         1         1         1         1         1         1         1         1         1 </th <th>Concept Number</th> <th>Transcript Concept</th> <th>Q</th> <th> </th> <th>b</th> <th>Rele- vance (R)</th> <th>Quality (Q)</th> <th>Score</th> <th>Pyflyg</th> <th></th>	Concept Number	Transcript Concept	Q		b	Rele- vance (R)	Quality (Q)	Score	Pyflyg	
Ridges         1         River         4         4         12         1           Ridges         0         Ridges         0         0         0         0         2         1         2         1         2         3         1         2         3         1         3         4         4         4         4         3         1         2         3         3         3         4         4         4         4         4         4         3         3         1         2         3         4	1			1	Buildings	\$	1	5.	0	0
Ridges         "         0         Pulldings         5         1         6         2           Small ups and downs         1         Location         5         1         5         1         5         4           Cold         1         Location         3         1         3         4         4         5         4         4         5         4         5         1         5         4         5         1         5         4         5         4         5         4         5         4         5         4         5         4         5         4         5         5         4         5         6         7         6         7         6         7         6         7         6         7         6         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7 <td< td=""><td>64</td><td>Land/water interface</td><td>,</td><td>1</td><td>River</td><td>4</td><td>4</td><td>12</td><td>1</td><td>-1</td></td<>	64	Land/water interface	,	1	River	4	4	12	1	-1
Small ups and downs         1         Buildings         5         1         5         4           Cold         1         Location         3         1         3         4           Picture 2         1         Church         2         1         2         5         6           Rocky         0         1         Church         5         1         5         6           Picture 3         0         1         Buildings         5         1         5         8           Picture 4         0         0         0         0         0         0         10           Frozen         0         0         0         0         0         0         10           Feeling of town         1         1         1         1         1         1           Cliff on water         1         1         1         1         1         1           Cliff on water         1         1         1         1         1         1         1           Cliff on water         1         1         1         1         1         1         1         1         1         1         1         1	က			0				0	8	67
Cold         1         Location         3         1         4           Picture 2         1         Church         2         1         2         1         5         5           Rocky         0         Thicknee         5         1         5         6         6           Picture 3         0         Buildings         5         1         5         8         9         9           Picture 4         0         Thirthings         0         0         0         10 <t< td=""><td>4</td><td>nbs and</td><td></td><td>7</td><td>Buildings</td><td>5</td><td>1</td><td>sc.</td><td>ဗ</td><td>က</td></t<>	4	nbs and		7	Buildings	5	1	sc.	ဗ	က
Picture 2         1         Church         2         1         2         5           Bocky         0         Tolk the state of town         1         Delidings         5         1         5         6         8           Picture 3         0         Tolk the state of town         0	တ	Cold		-	Location	3	1	က	4	*
Bocky         0         Buildings         5         1         6           Picture 3         1         Buildings         5         1         5         8           Picture 4         0         1         0         0         0         10           Frozen         0         1         0         10         10         10           Cliff on water         1         River bank         1         1         1         1           Cliff on water         1         River bank         1         1         1         1           Cliff on water         1         River bank         1         1         1         1           1         1         1         1         1         1         1         1	9			-	Church	2	1	8		so.
Picture 3         1         Buildings         5         1         5         8           Picture 4         0         1         0         0         0         0         10           Frozen         1         1         1         0         10         10         10           Cliff on water         1         1         1         1         1         15           Cliff on water         1         1         1         1         1         1           Cliff on water         1         1         1         1         1         1         1           Cliff on water         1 <td< td=""><td>7</td><td>Rocky</td><td></td><td>0</td><td></td><td></td><td></td><td>0</td><td>ဖ</td><td>9</td></td<>	7	Rocky		0				0	ဖ	9
Picture 4         0         0         0         9           Frozen         0         10         10         10           Feeling of town         1         1         1         1         1         1           Cliff on water         1         River bank         1         1         1         15           Cliff on water         1         River bank         1         1         1         15           Incompany         1         River bank         1         1         1         1         1           Incompany         1         River bank         1	•				Buildings	S	1	S.	8	2
Frozen         0         0         10           Feeling of town         1         City         5         4         13         12           Cliff on water         1         River bank         1         1         1         15           Cliff on water         1         River bank         1         1         16         16           1         1         1         1         1         1         1         1         16           1	6			0				0	6	80
Feeling of town       1       Clty       5       4       13       12         Cliff on water       1       River bank       1       1       1       15         Cliff on water       1       1       1       1       15         Cliff on water       1       1       1       1       1         Cliff on water       1       1       1       1       1       1         Cliff on water       1	10	Frozen		٥				0	10	6
Cliff on water         1         River bank         1         1         15           1         1         1         1         1         16           1         2         1         2         1         2         2         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         3         2         3 <td>17</td> <td>ᇦ</td> <td></td> <td>1</td> <td>City</td> <td>ĸ</td> <td>4</td> <td>13</td> <td>12</td> <td>의</td>	17	ᇦ		1	City	ĸ	4	13	12	의
25	77	Cliff on water		1	River bank	1	1	1	13	7
20 25	13								16	12
25	1 4								20	13
	15			_					25	
		0			-			200	9-13:	

33

#### Approved For Release 1400 1805 SIA ED 96-00788R001800080001-5

End Time:	End Time:	Method of Targeting:	arget	geting: Coordinates	Da	Date:	14 December 1981	ber 19	81
Length of	Session:	Session:		9	5	Class:	В		
Concept	Transcript Concept	D	ď	Element of Target	Rele- vance (R)	Quality (Q)	Score	PxRxQ	Score
1	Picture 1		1	Rocks	3	7	9	0	0
89	Land/water interface		1	Peninsula	5	4	13	-	1
3	Ridges		1	Rocks		81	ဖ	7	7
4	Small ups and downs		1	Rocks	3	7	9	ຕ	3
တ	Co1d		1	Location	4	4	12	4	4
9	Picture 2		1	Church	23	1	87	က	2
7	Rocky		1	Rocks	3	2	11	9	9
60	Picture 3		1	Sloping rocks	3	2	9	•	7
6	Picture 4		0				0	<b>o</b> s	•
10	Frozen		1	Location	4	4	12	10	6
11	Feeling of town		1	Town	5	င	14	12	ខ្ម
12	Cliff on water		1	Sloping rocks	3	83	9	12	11
13								16	12
14								20	13
15			<u> </u>					22	14
Sce	Score 0 1 2 3 4	5 6 7	8	3 9 f0 11 12 13	3 14	7.7	1		Į.
# of Concepts	C L			,		אבד	метвигел	age lave	18e 2

Table A-5 (continued)

34

UNCLASSIFIED
Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5 

Begin Time:	lme:	13:13			1		Target:	ا ټ	Ā	ernand	lo de	Fernando de Noronha			V1ewer:	#005	~			
End Time:	;				1		Wetho	Method of Targeting:	[arget	ting:		Coordinates	ites		Date:	14 December 1981	mber	1981		
Length c	Length of Session:	ä			1		Session:	on:			6				Class:		м			
Concept Mumber		Tra	Transcri	pt Concept	cept			Q	Ъ		Element	7	Target	Rele-	Quality (9)	Score		PyfkyQ 8	Score.	
1	Picture	e 1							1	Hills	ls			4	8	2	11	0	0	
8	Land/w	Land/water interface	interf	ace					1	Isl	Island			20	4	13	<u>                                      </u>	-		
က	Ridges					ì			1	Hills	ls.			4	<b>S</b>	13	<u> </u>	N	8	
4	Small ups	ups at	and downs	ms	}				1	Hills	ls			4	8	12	<u> </u>		m	
•	Cold					į			0							0	l	4	•	
မ	Picture	6 2							1	Peak	K			က	က	8		10	<b>40</b>	
2	Rocky		j						1	Sho	Shoreline	ø)		က	8	9		9	<b>6</b>	
•	Picture	9 33							1	Hills	ls	:		.44	က	ខ្ម	L	- m	~	
6	Picture	4							1	Surf	Ī			ю	1	က		6	- m	
10	Frozen								0							٥		o <sub>I</sub>	6	
77	Feeling of town	g of t	Own						0						. 7213	0		12 1	10	
12	Cliff	on water	er		İ				1	Hills	ls by	Sea		4	5	13		15 1	11	
13																		16 1	12	
14																		20 1	13	
15																		25 1	14	
	Score	0	1	2	3	4	5	9	7	8	O <sub>4</sub>	10 11	12	13 14	Į					
of Concepts	cepts	~	-	6	~	-	٠	-	;	-	-	۰	,		<u>*</u> ]	Weighted		Average	age	
	•	,	1	7	7	-	7	7	7	1	$\exists$	7	- -	-						

TRANSCRIPT EVALUATION

Table A-5 (continued)

35

	Method of Targeting:	eting: Coordinates	Date:	14 Dece	December 1981	
	Session:	3	Class:	В		
Transcript Concept	D	Element of Target	Rele- Quality (R) (Q)	1ty Score	PxfxQ	Score
Picture 1	1	Scattered lakes	5 1	S	0	0
Land/water interface	1	Scattered lakes	5 4	13	П	1
, de	1	Islands	4 2	7	N	62
Small ups and downs	1	Islands	4	12	ო	8
	1	Location	4	12	4	4
Picture 2	1	Islands	4	4	ď	2
	0			o	80	8
Picture 3	1	Islands	4 1	4	8	7
Picture 4	0			0	6	80
Frozen	1	Location	4 4	12	10	6
Feeling of town	1	Town	4 5	13	12	10
Cliff on water	0			0	15	11
					16	12
					20	13
					52	14
0 1 2 3 4 5	5 6 7	8 9-10 11 12 1.	3 14		1 1	
3 1 7	-	c		weighted	Average	3e 2.42

Table A-5 (continued)

36

### Approved For Release 2000/08/28 SIFFED 96-00788R001800080001-5

	1861		Beore	0	1	63	м	4	40	9	2	80	6	10	11	12	13	14		0000
Q	mber		PxffxQ	0		67	~	4	8	9	<u> </u>	æ	10	12	15	16	20	23		Average
#005	14 December 1981	Ω	Scor•	0	7	10	12	က	N	0	٥		64	12	2	6	13	2		Weighted
Viewer:	Date:	Class:	Quality (Q)		1	က	큣		1				τ	4	1	ç	ß	1	Ŀ	3
Ŷ	ď	ទ	Rele- vance		2	4	4	1	2				2	4	2	2	4	63	14	Ī
ł	ì	1																	13	
			Target																12	
	nates		of Tax		성				80										=	
	Coordinates		Element		Sloping bank				River banks										10	
Inverness	- 1	4	Ele		Slopi	Area	R4 ver	Grass	River				Banks	River	Banks	Trees	River	Trees	6	
Inve	Method of Targeting:		а	0			-1			0									∞	
1	f Tary	1	a		$\neg$						0	73	1		1	1	1		_	
Target:	o poq	Session:																	9	
Tar	Met	Ses				٠,													5	
			يد																7	
			Transcript Concept																3	
			Hpt (											Land/water interfaces					2	
12:46			ransc	<b>,</b> 73							Þ,			inte			ver		-	
12		ion:	1	Down jagged	Picture 1				1re 2	ďn,	Deep valley	ire 3		water	Descending	_	Winding river	0	0	
ë	ا	f Session:		Дожп	Met	Flat	Water	Green	Mcture	Down/up	Deep	Picture	Down	Land/	Desce	Trees	Windi	Jungle	Score	
Begin Time:	End Time:	Length of	Concept. Number	1	63	8	4	2	9	7	<b>o</b> o	6	10	=	12	13	14	15	Ñ	

Table A-5 (continued)

37

The concepts   1   1   1   1   1   1   1   1   1	ă	Begin Time:	J2:46	Target:		Hangö	:0		ı	Ċ1	Viewer:	<b>*</b>	#005		
Transcript Concept   D   P   Element of Target   National Anna   National An	Ñ	nd Time:		Method of	Targe	ting:	Coor	dinates	ı	Da	te:	14 Dec	mber	1861	1
Transcript Concept D P Riement of Target Name of Concept Concept D P Riement of Target Name of Concept Concept D P Riement of Target D P Riement of Target D P Riement of Target D P Riement D P Riement Of Target D P Riement	Ä	ength of		Session:			4		1	ជី	nss:	æ			
thre 1  three 2  three 2  three 2  three 2  three 2  three 3  three 3  three 3  three 3  three 4  three 3  three 4  three 3  three 4  three 3  three 4  thre		Concept	Transcript Concept	Q						ele- ance (R)	Quality (Q)	Score	Px8xQ	Score	
thre 1.	·	1	Down Jagged		1	S1		ks		3	2	9	0	٥	
FITH C. S. C.		81				S1	oping roc	)ks		က	8	ဗ	1	1	
en         a feat and		က	Flat	, <b>.</b>	-	BB	Ą.			က	1	က	8	63	
ture 2         1         Sloping rocks         3         4         4         4           n/up         0         1         Sloping rocks         3         1         3         6         7         9         9         9         9         9         9         9         9         9         9         9         9         9         9         9         9 <t< td=""><th>·</th><td>4</td><td>Water</td><td></td><td>1</td><td>Ba</td><td>iy.</td><td></td><td></td><td>က</td><td>4</td><td>10</td><td>3</td><td>က</td><td></td></t<>	·	4	Water		1	Ba	iy.			က	4	10	3	က	
ture 2         5         1         Stoping rocks         3         1         3         5		ın	Green		0							0	4	4	
n/up         b valley         0         0         0         0         8         7           ture 3         1         2         1         \$100 µg rocks         3         1         3         10         9         8         7           d/water interfaces         1         \$100 µg rocks         3         1         3         1         3         10         9           conding         1         \$100 µg rocks         3         1         3         1         3         10         9           ding river         1         \$100 µg rocks         3         1         3         1	OTIV	9	Picture 2	·	1	S1	oping roc	жs		3	1	က	ıcı	40	
p. valley fire fire fire fire fire fire fire fire	OLTAVA.	7	Down/up		0							0	ဖ	ဖ	
ture*3         Luc*3         A water interfaces         Cending rich rich rich rich rich rich rich rich	JAT	8	Deep valley		0							0	<b>®</b>	7	
n       Sloping rocks       3       1       3       10       9         d/water interfaces         cending         cending         cending         cending         ding river         gla         0       1       2       4       7       16       12         gla         0       1       2       4       7       16       12         gla         0       1       2       4       7       6       13         gla         0       1       2       4       7       6       13       14         Weighted Average	VASC	6	Picture 3	8									6	80	
Cending respective factors       5       4       13       12       10         Cending respective forms       3       1       3       1       3       1       3       1 <th>иL</th> <td>01</td> <td>Down</td> <td></td> <td>1</td> <td>Sı</td> <td>oping roc</td> <td>cks</td> <td></td> <td>3</td> <td>1</td> <td>က</td> <td>2</td> <td>6</td> <td></td>	иL	01	Down		1	Sı	oping roc	cks		3	1	က	2	6	
cending         cending         cending         cending         cending         ding       1       Trees       2       4       7       16       12         gle         2       3       1       1       1       1       1       2       3       1       3       1         0       1       2       3       4       5       6       7       8       9       4       1		17	Land/water interfaces		1	A.	ningula			5	4	13	12	10	
ea           ding river         1         Trees         2         4         7         16         12           gle         1         Bay         2         3         1         3         1         3         1         3         1         3         1         3         1         3         1         3         1         3         1		12	Descending		1	S1	oping roc	cks		3	1	က	15	11	
ding river         gle         0       1       2       3       4       5       6       7       8       9       40       11       12       13       14       Meighted Average       1         3       5       2       1       3       1 <td< td=""><th></th><td>13</td><td>Trees</td><td></td><td>1</td><td>T.</td><td>ees</td><td></td><td></td><td>23</td><td>4</td><td>7</td><td>16</td><td>12</td><td></td></td<>		13	Trees		1	T.	ees			23	4	7	16	12	
gle		14	Winding river		1	<b>28</b>	£1			3	1	ო	20	13	
0 1 2 3 4 5 6 7 8 9 40 11 12 13 14 Weighted Average 1.		15	Jungle		-	F	ees			2	3	9	25	14	
3 5 2 1 3 3 1 1 1 1 1 1		Š	0 1 2 3	-	7	8	<b>F</b>	1 1		14	i d'A	ohted	Aver	age	1
	of	Conce	3 5 2 1		1	•	1		1					,	• 1

Table A-5 (continued)

38

# **UNCLASSIFIED**Approved For Release 2000/08/08 : CIA-RDP96-00788R00180008<u>000</u>01-5

Sestion:   Sestion:   A   Hills   A   Coordinates   Date:   14 December   D	Mathematical Parametring   Mathematical Parame	Begin Time:		12:46			١	T.	Target:	Fe	Fernando	o de 1	de Noronha				Ý1ev	Viewer:	#005				1
Session   Sess	Sestion   Sest	- F						, e	thod o		getin	 90	Coordi	nates			Date		14 Dece		1981		1
Picture 1   Picture 2   Picture 2   Picture 3   Picture 3   Picture 5   Picture 6   Picture 6   Picture 7   Pict	Down lagged   Down lagged	rth of						Se	ssion:				4				Cla	38:	m				
Down jagged				L			1		F	-	=			1		- E	=	uality	2003	a a	1	<u> </u>	
Down jagged   Down jagged	Down jagged   Mile   Down jagged   Mile   Down jagged   Mile	ncept		Tra	nscrip	t Conc	se pt				_	ă		- 11	g G		═╫	ĝ				П	
2         Picture 1         1         Hills         4         4         4         1         4         4         4         1         2         2         2         2         2         2         2         2         2         2         2         3         3         3         3         3         3         3         4         4         1         4         <	2         Picture I         I         HIIIs         4         4         4         12         1         1           4         Vater         I         Ocean         I         Ocean         4         4         12         2         2         2         2         4         4         12         3         2         3         6         4         4         1         4         4         1         4         4         1         4	1	Дожи	Jagged							н	H1118				4		က	g	<u> </u>			
3         Flat         "water         " ocean         4         4         4         4         4         12         3         3         4	3         Flat.         .         0         0         4         4         4         12         3         3         4         4         12         3         3         5         4         4         12         3         3         4         4         12         3         3         3         4	8	Metui								1	H1118				-		4	12		_	Т	
4         Water         4         5         5         6 <td>4         Water         4         A         4         1         Occord         4         4         12         3         3         4         4         4         12         3         3         4         &lt;</td> <td>67</td> <td>Flat</td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td></td> <td>-</td> <td><del>- T</del></td> <td></td>	4         Water         4         A         4         1         Occord         4         4         12         3         3         4         4         4         12         3         3         4         <	67	Flat				1				0								0		-	<del>- T</del>	
6         Picture 2         1         Hills         4         1         4         1         4         1         4         1         4         6         7         7         10         9         8         7         9         8         7         9         10         9	6         Picture 2         1         Negetation         2         3         6         4         5         6         7	,	Water									Ocean				-		4	12				
6         Picture 2         1         Hills         4         1         4         1         4         1         4         5         5         5         5         4         1         4         1         4         1         4         1         4         1         4         5         6         7         9         <	6         Picture 2         1         Hills         4         1         4         1         4         1         4         5         5         5         5         4         1         4         1         4         1         4         1         4         1         4         6         7         9         9         9         9         9         9         9         9         9         9         9         9         9         9         9         9         9         9         9         <		Green									Veget	ation			-		3	9				
7         Down/up         8         Deep valley         1         Hills         4         1         4         1         4         6         6           9         Pacture 3         2         1         Anityles         4         1         4         1         4         1         9         8           10         Down         1         Anityles         1         Anityles         4         1         4         1         4         10         9         8           11         Land/water interfaces         1         Interfaces         1         Interfaces         4         1         4         1         9         8           12         Dosconding         1         Interfaces         1         Anityles         4         1         4         1 <td>7         Down/up         4         1         4         1         4         1         4         6         6         6         6         7         8         7         8         6         6         6         6         6         6         6         6         6         6         6         6         6         6         6         7         6         7         6         7         6         7         7         7         7         7         7         7         7         7         7         7         7         7         7         8         7         7         8         7         8         7         8         7         8         7         8         9         8         9         9         8         9<!--</td--><td>9</td><td>Pictu</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>H1118</td><td></td><td></td><td></td><td>-</td><td></td><td>1</td><td>4</td><td></td><td></td><td><math>\overline{\Box}</math></td><td></td></td>	7         Down/up         4         1         4         1         4         1         4         6         6         6         6         7         8         7         8         6         6         6         6         6         6         6         6         6         6         6         6         6         6         6         7         6         7         6         7         6         7         7         7         7         7         7         7         7         7         7         7         7         7         7         8         7         7         8         7         8         7         8         7         8         7         8         9         8         9         9         8         9 </td <td>9</td> <td>Pictu</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>H1118</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>1</td> <td>4</td> <td></td> <td></td> <td><math>\overline{\Box}</math></td> <td></td>	9	Pictu									H1118				-		1	4			$\overline{\Box}$	
8         Down         2         Authoring river         1         Sloping hills         4         1         4         1         4         1         4         1         4         1         9         8         7           10         Down         1         Interest         1         Interest         4         1         4         1         4         1         9         8           12         Descending         1         Interest         1         Interest         4         1         4         1         4         1	8       Deep valley       2       A       A       A       A       A       A       B       T         10       Down       2       1       1 sland       4       1       4       1       4       1       4       1       4       1       9       8       7       10       9       8       7       10       9       8       7       10       9       8       7       10       9       8       7       10       9       8       7       10       9       8       7       10       9       8       7       10       9        8       7       10       9       8       7       10       9       8       7       10       9       8       7       10       9       8       7       10	"	Down	9							1	H111s				_	4	-	4				
9 Picture 3 10 Down 11 Land/water interfaces 13 Trees 14 Winding river 15 Jungle 16 Jungle 17 Score 18 Picture 3 19 Picture 3 10 Signing Hills 10 Signing Hills 11 Signing Hills 12 Descending 13 Trees 14 Winding river 15 Jungle 16 Jungle 17 Score 18 Picture 3 19 Picture 3 19 Picture 4 10 Picture 4 10 Pic	9 Proture 3         2 Proture 3         4 1 4 1 4 10         4 1 4 1 10         4 1 1 4 10         4 1 1 4 10         4 1 1 4 10         4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 0	2	valle							0								0				
10 Down         11 Land/water interfaces       1 Island       5       4       13       12       10       9         12       Descending       1       Island       1       Island       4       1       4       13       12       10         13       Trees       1       Stoping Hills       2       5       9       16       12       11         13       Trees       1       Vegetation       2       5       9       16       12         14       Winding river       1       Vegetation       2       5       9       16       13         15       Jungle       1       2       4       5       6       7       9       10       11       12       13       14       14       14       15       14       15       14       15       14       15       14       15       14       15       14       15       14       15       15       14       15       15       14       15       15       14       15       14       15       15       14       15       14       15       14       15       14       1	10	۰	Ā	6						8													
1	1.0 Lower         1.1 Lower         1.2 Descending         1.2 Descending         1.2 Descending         1.2 Descending         1.3 Trees         1.4 Winding river         Score       0       1       2       3       4       1       4       1       4       1       4       1       4       1       4       1       4       1       1       1       1       1       1       4       1       4       1       4       1	ءِ   ا									-	Slop		18			4	-	4				
12 Descending         13 Trees       1 Score       0       1 Score	12 Descending         13 Trees       1 Stoping hills       4       1       4       15       11         13 Trees         14 Winding river         Score       0       1       2       3       4       5       6       7       8       9       10       11       12       13       14       Weighted Average       2       5       9       16       13       14       12       3       4       5       6       7       8       9       10       11       12       13       14       Neighted Average       2       1       1       1       2       1       1       2       1       1       2       1       1       2       1       1       2       1       1       2       1       1       2       1       1       2       1       1       2       1       1       2       1       1       2       1       1       1       2       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1 <th< td=""><td><u>ء</u>   ۽</td><td>1</td><td></td><td></td><td>000</td><td></td><td></td><td></td><td></td><td>1</td><td>Isla</td><td>멀</td><td></td><td></td><td></td><td>2</td><td>4</td><td>13</td><td></td><td>-+</td><td>٦</td><td></td></th<>	<u>ء</u>   ۽	1			000					1	Isla	멀				2	4	13		-+	٦	
3 Trees       13 Trees       2 5 9 16 12         14 Winding river         Score       0       1       Vegetation       2       5       9       16       13         Score       0       1       2       3       4       5       6       7       8       \$\$       10       11       12       13       14       Weighted Average       2	13       Trees       2       5       9       16       12         14       Winding river         Score       0       1       2       3       4       2       7       20       13         Score       0       1       2       3       4       5       6       7       8       9       10       11       12       13       14       Weighted Average       2         Concepts       2       4       5       6       7       8       9       10       11       12       13       14       Weighted Average       2	<u> </u>	Desce	water and no	100	8					-	Slop	ing hil	ls		-	4	-	4	 	-+	_	
Jungle       Score       T       20 13         Score       O       1       Ocean       2       7       20 13         Score       0       1       2       3       4       5       6       7       8       9       10       11       12       13       14       Weighted Average       2	14 Winding river.  Score 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14  Concepts 2 4 1 2 3 2 1 1 1 1 1 1 1 2 1 3 2 1 1 1 1 2 1 1 1 1	1 5	Trees									Vege	tation				73	20	6		-+	~	
15       Jungle       2       3       4       5       6       7       8       9       10       11       12       13       14       Weighted Average       2       14	Score   Concepts   2   4   1   2   3   4   5   6   7   8   5   1   2   1   2   1   2   3   2   1   1   2   3   2   1   1   2   3   2   1   1   2   3   3   3   3   3   3   3   3   3	1 4	W1 nd	1 24	yer						1	весо	п				4	7	7	<u>``</u>		6	
Score 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2.	Score 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2. Concepts 2 4 1 2 3 2 1 1 1 2 1 2 1 2 1	12	Jung	le 1							1	Vege	tation			-	7	20	6	<u> </u>		4	
Melgined Average Z.	Concepts 2 4 1 2 3 2 1 1 2 1 2 1 2 1		Score	0		2	1						-	11	12	13	14	٤				-	1
	Ourcepts [2   4   1   2   3   2   1   1   1   2   1   1   1   1   1	ć	400				1,	+		<b>├</b> -	-	<del> </del>	┼		,	-		ž	18116		B 13		•

Table A-5 (continued)

TRANSCRIPT EVALUATION

39

#### Approved For Release 1000 408 St F4 ED 96-00788 R001800080001-5

Part   Part	Begin Time:	9 <u>2</u>	12	12:46			ı	Tag	Target:	2	Punkaharju	arju	1			ı	ŅΤ	Viewer:	<b>4</b>	#005		
Session:   Session:	1 me						1	E.	thod	T Ta	rgeti	I.	Coordi	nates		1	Da	1	14 Dece	mber 1	186	
Transcript Concept   D   P   Element of Target   Target	е 6	f Sesi	sion:				1	Ser	ssion:	1			4				ជី	188:				
Archite   1   Arce   2   1   Arce   2   2   2   2   2   2   2   2   2	Concept			Fransc	ri pt	Conce	Į į			Q	д	El		1 1	get	2.5	(R)	Quality (Q)	Score	PXRx		· • 11
late integration of the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in the second late in	1	Dow	n jagg	, pe							0								0	<u>°</u>		·
File   File	8	Å.	ture ]								1	Isla	sput				4	က	10	-	-	
treen         5         4         3         3         3         3         4         1         4         4         1         1         1         4         1         4	6	Fla	44					ì	-		1	Area					4	က	10	61		
treen.         1 Lake bottoms         6         1         5         7         5 <td>4</td> <td>Wat</td> <td>er</td> <td></td> <td></td> <td></td> <td>ž</td> <td></td> <td></td> <td></td> <td>1</td> <td>Lake</td> <td>88</td> <td></td> <td></td> <td></td> <td>5</td> <td>4</td> <td>13</td> <td>ຸຕ</td> <td></td> <td>·I</td>	4	Wat	er				ž				1	Lake	88				5	4	13	ຸຕ		·I
count Lange Soft Longs         5         1         Lake bottoms         5         1         5         1         5         1         5         4         6         7         6         7         6         7         6         7         6         7         6         7         6         7         6         7         6         7         7         7         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 </td <td><u>س</u></td> <td>Gre</td> <td>en</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td>	<u>س</u>	Gre	en								0								0			
cep vallet         cep vallet<	9	¥ K	ture 2								1	Lake	botto	SIIIS			20	1	cs			Т
cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           cep yalley           Trees         5         4         1         4         15         11           Trees         5         4         7         16         12           Indition river           1         Trees         5         4         7         16         12           1         1         1         1         2         3         4         5         6         7         1         6         1         6         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	-	å	dn/u								1	Lake	e bott	SEC			2	1	0			т
Cutture*3       2       1       lake bottoms       5       1       5       1       5       1       5       1       5       1       5       4       1       5       1       9       8         cescending         Trees         Trees       1       1       1       1       4       1       4       1       4       1       1       1       1       1       1       1       1       4       1       4       1       4       1       1       1       1       1       1       1       4       1       4       1 <td></td> <td>ğ</td> <td>p val</td> <td>ley</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>Lake</td> <td>e bott</td> <td>SILIC</td> <td></td> <td></td> <td>2</td> <td>1</td> <td>2</td> <td></td> <td></td> <td><del> 1</del></td>		ğ	p val	ley							1	Lake	e bott	SILIC			2	1	2			<del> 1</del>
Own         1         Lakes         5         1         5         1         5         4         13         9           eacend/water interfaces         1         Interest         1         Interest         2         4         1         4         15         11         12         1         1         1         1         1         1         1         1         1         1         2         4         1         4         15         1	6	ž	ture				'			2											_	<del>- 1</del>
and/water interfaces         1         Lakes         5         4         13         12         10           Scending           Trees           Tuding river           0         1         Trees         2         4         7         16         12           Unding river           0         1         Trees         5         4         7         16         12           Unding river           0         1         Trees         2         4         7         16         13           Unding river         1         Trees         2         3         4         5         6         7         8         9         10         11         12         13         14         Meighted Average         2	g	ğ	E								1	Lak	e bott	оше			5	1	20	<u> </u>		
Feethoring Types         4         1         4         1         4         1	=	Lar	ıd/wat	er int	terfac	ses					1	Lak	es				5	4	13	7		T
Trees         2         4         7         16         12           1 Inding river           10         1         2         3         4         5         6         7         8         9         10         11         12         13         14         12         13         14 <td>2</td> <td>ă</td> <td>scendi</td> <td><u>8</u></td> <td></td> <td><u> </u></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>Isl</td> <td>ands</td> <td></td> <td></td> <td></td> <td>4</td> <td>7</td> <td>4</td> <td>=  </td> <td></td> <td></td>	2	ă	scendi	<u>8</u>		<u> </u>					1	Isl	ands				4	7	4	=		
1 Inding river         1 Inding river         1 Inding river       1 Inding river       2 Inding river       2 Inding river       2 Inding river       3 I	13	Ĕ	368								1	Tre	es				2	4	2	-		
Unngle       1       Trees       2       1       2       3       4       5       6       7       8       9       10       11       12       13       14       Weighted Average       2         2       6       1       2       3       4       1       1       2       2       2       2       3       4       3       4       4       1       1       2       2       3       4       4       1       1       2       2       3       4	14	W <sub>11</sub>	guipe	river							1	Con	nected	lakes			5	83	6	Ä		1
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2. 2 6 1 2 3 4 1 1 2 1 3 2 2 2	12	, in	ngle								1	Tre	es				2	-1	~	~   		
2 6 1 2 3 4 1 1 2 2	Scc	ore	0	-1	2	3	7	5	9	7	∞	6	1.0	11		3	1 + 1	Weig	hted	Avera	e g	- 1
	ucel	pts	2	9	1	2	3	7		1		1	2		2		1				,	•

Table A-5 (concluded)

40

### Approved For Release 10000000001-5

(U) Two types of overall assessment were chosen to emphasize the versatility of the evaluation procedure, (1) a simple rank ordering based on weighted average scores, and (2) a concept-by-concept, non-parametric, statistical technique. Table A-6 shows the results of the first method, the rank ordering. For convenience, the correct matches are underlined.

Table A-6

(U) A RANK ORDERING OF WEIGHTED AVERAGES (U)

Session/Target	Inverness	Hangö	Fernando de Noronha	Punkaharju
2 3 4	4.13 <sup>*</sup> 1.12 1.21	2.72 2.65 1.38	0.22 2.49 2.22	2.11 2.42 2.21
1	1.53	2.52	2.36	0.90

<sup>\*</sup>Scores computed with non-uniform target relevance factors.

- (U) From Table A-6, we see that there were 3 first-place matches and 1 fourth-place match. The probability of obtaining 3 of 4 possible first-place matches from chance fluctuations alone are less than 0.051. The point spread between the best match (Inverness) and the worst match (Punkaharju) are in qualitative agreement with a subjective "first look" at the quality of the transcripts as well.
- between the correct concept/target matches and a control set of matches. All concept/target matches that are not the correct matches act as an internal control set. To avoid any invalid assumptions as to the correct parent distribution, a non-parametric statistical test, the Mann-Whitney U-Test, was chosen for the analysis.

41

## Approved For Release 2000/08/08 : CIA-RDP96-00788R001800080001-5

- (U) It is beyond the scope of this report to review the details of the Mann-Witney U-Test; thus, only the results are quoted here. The probability that the set of correct concept/target matches is statistically indistinguishable from the control concept/target matches is less than 0.071.
- (U) There are a number of additional statistical procedures that could be used to analyze the results of this evaluation technique. The two cited above, however, represent a spread in complexity that demonstrates the internal consistency of the basic evaluation procedure. With only four similar RV sessions, the evaluation technique nearly reached the 0.05 level of statistical significance with each of the two statistical procedures, a result indicating a successful outcome with regard to the overall assessment procedure.

42

#### ${\tt Appendix}\ {\tt B}$

#### (U) SUMMARY OF EVALUATION TECHNIQUE (U)

Step	Action
1	Task coordinator defines the evaluation goal. He/she identifies target elements and assigns target element relevance factors as appropriate.
2	Analyst conceptualizes responses and prepares an RV assessment sheet for each response.
3	Repeated concepts are noted in the "D" column.
4	Copies of the sheets from Item 2 are made; one for each possible target used in the analysis.
	FOR EACH POSSIBLE RESPONSE/TARGET COMBINATION:
5	Identify a target element for each concept not marked in the "D" column; mark a l in the "p" column and write the target element and its relevance factor from Step l in the appropriate columns. (Write O and blanks if no element can be found.)
6	Using Table 3, assign a quality rating for all present $(p = 1)$ concept/element combinations.
7	Compute the score as follows:
	a. Calculate relevance (R) X quality (Q)
	b. Convert R X Q to an integer between 0 and 14 using the conversion table provided.
8	Enter the number of concepts that obtained each possible score in the space provided.
9	Calculate the weighted average using:
	$A_{k} = 0.357 \left[ \Sigma f_{j} \sqrt{f_{j}} S_{j} / \Sigma f_{j} \sqrt{f_{j}} \right]$
	where: S, is the score and f, is the number of concepts that obtained score
	j = 0, 1, 2,, 14
10	For each response, rank order the weighted averages.

43

#### Approved For Releas Jab 61:48 SHELED 96-00788 R001800080001-5

#### REFERENCES (U)

- 1. H. E. Puthoff and R. Targ, "A Perceptual Channel for Information Transfer over Kilometer Distances: Historical Perspective and Recent Research," Proc. IEEE, Vol. 64, No. 3, pp. 329-354 (March 1976).
- 2. C. Scott, "On the Evaluation of Verbal Material in Parapsychology: A Discussion of Dr. Pratt's Monograph," <u>J. Soc. Psych. Res.</u>, Vol. 46, No. 752, pp. 79-90 (June 1972).
- 3. R. Targ, H. E. Puthoff, and E. C. May, "State of the Art in Remote Viewing Studies at SRI," Technical Session on Research in Psychoenergetics, Proc. 1977 IEEE International Conf. on Cybernetics and Society, Washington, D.C. (September 20, 1977).
- 4. S. Siegel, Nonparametric Statistics, pp. 116-120 (McGraww-Hill, 1956).

44